WARNING! MADE IN NEW ZEALAND

anchor wire

SINCE 1972

SERVING YOU SINCE 1972...

1972 Anchor Incorporated:
Auckland, New Zealand

1996 Established
Wiri manufacturing plant

Eden Park
Pitcairn Island
Christmas Island
Te Papa Museum
North Harbour Stadium
World Rowing Champs
Devonport Naval Base
Marsden Point Oil Refinery
Wellington Regional Stadium (Cake Tin)
Black Water Rafting Cave
Waikato Hospital
Playgrounds
Motorways
Stadiums
Schools
and much, much more!

...and the story continues...

FROM THE MASSIVE TO THE MINUTE

Anchor has been helping New Zealanders realise their construction dreams since 1972

- New Zealand Made
- To New Zealand Standards
- In Stock *- right now!*
- Customised One-off Designs *- no worries*

WE COLOUR YOUR WORLD

With the entire range of Dulux powder coating colours to choose from, your creative potential is unlimited.

Dulux knows colour. Their range incorporates the most popular colours and fashion ranges. Dulux Registered Powder Coating Applicators have invested heavily in their business to guarantee performance and their compliance with Dulux's stringent standards of quality. This is why Anchor only uses Dulux Powder Coatings on their products to ensure we supply you with the best possible solution.

Anchor products and Dulux Powder Coatings are a superior combination of quality and style.

TO THE HIGHEST STANDARD

Everything we manufacture is made in New Zealand in our Auckland factory under our ISO 9001 certification.

But it doesn't stop there. Our products strictly adhere to New Zealand standards and we GUARANTEE their quality. We are a member of Standards New Zealand and stand behind everything we do - and have done since 1972. Those who have chosen to specify Anchor products have never been let down.

Hot Dip Galvanised to AS/NZS 4680:2006
Dulux Powder Coated to AS/NZS 4506 :2005

1972: THE JOURNEY BEGINS

Anchor Incorporated
Auckland, New Zealand

OVER 30 YEARS IN SERVICE AND STILL GOING STRONG

In 2016 the Navy finally had to replace their Anchor Panel Fence with a new one. While Anchor's panels had not succumb to the weather, a naval battle or even the ravages of time, they were finally defeated by a ten tonne truck backing over them.

After giving such heroic service to the navy, we decide to have the panels tested to see just how well they had lasted. It turns out that, if the truck hadn't driven over them, they would still most likely be there in another 30 years faithfully guarding the Navy's sports ground.

1978
WORLD ROWING CHAMPIONSHIPS
Waikato
Anchor Security Fence
Perimeter Security

NZ ARMY MUSEUM
Waiouru
WWR Mesh
Reinforcing

1979
MARSDEN POINT OIL REFINERY EXPANSION
Northland
WWR Mesh
Reinforcing

1983
ST KENTIGERN COLLEGE
Auckland
Anchor Chainlink
Cricket Nets

1984
ROYAL NEW ZEALAND NAVY SPORTS COMPLEX
Devonport, Auckland
Anchor Panel Fence
Perimeter Security

1985
NGAMATEA STATION
Hawkes Bay
Anchor Farm Fence
Rural Fencng

HUNTLY
POWER STATION
Waikato
WWR Mesh
Reinforcing

TE AROHA TOWN
Flood Control, Thames
Anchor Panel Fence
Site Safety

1989
AUCKLAND ZOO
Orangutan Enclosure
WWR Mesh
Enclosure

2002
GOVERNMENT
Rotorua
Anchor Panel Fence
Perimeter Security

2002
DB BREWERIES
Auckland
Anchor Chainlink
Perimeter Security

2001
FITZROY RD
New Plymouth
WWR Mesh
Reinforcing

GREYMOUTH COAL LTD
Greymouth
Anchor Steel Mesh
Reinforcing

2000
LION NATHAN BREWERY ($NZD200M)
Auckland
Anchor Panel Fence
Perimeter Security

1998
TE PAPA MUSEUM (MUSEUM OF NEW ZEALAND) ($NZD130M)
Wellington
Anchor Steel Mesh
Internal Storage

EDEN PARK WEST STAND
Auckland
WWR Mesh
Reinforcing

1995
GLADSTONE RD
Auckland
Anchor Special Panel
Site Safety

1994
WAIHI GOLD MINE
Waihi
Anchor Security Fence
Perimeter Security

1993
WESTERN MOTORWAY
Auckland
Anchor Motorway Panel
Transport Application

1990
AUCKLAND COMMONWEALTH GAMES
Auckland
Anchor Security Fence
Security Fence

2003
NZ SUGAR COMPANY
Auckland
Anchor Steel Mesh
Internal Security

2004
HAWKES BAY PRISON
Hawkes Bay
Anchor Chainlink
Perimeter Security

BLACK WATER RAFTING CO
Waitomo
Anchor Safety Fence
Internal Safety

1998
WHANGAPARAOA COLLEGE
Auckland
Anchor Special Mesh
Perimeter Security

2005
HAMILTON DOMAIN
Hamilton
Anchor Panel Fence
Site Safety

ROTORUA INTERNATIONAL AIRPORT
Rotorua
Anchor Chainlink
Perimeter Security

2006
AUCKLAND ZOO
Auckland
Anchor Special Mesh
Site Safety

SPLASH PLANET
Hastings
Anchor Security Fence
Internal Safety

2007
CRATERS OF THE MOON
Taupo
Anchor Security Fence
Perimeter Security

NORTHERN BUS WAY
Auckland
Anchor Panel Fence
Perimeter Security

2008
LOGISTICS STORAGE
Auckland
Anchor Steel Mesh
Internal Security

2011
INDUSTRIAL SITE
Helensville
Anchor Steel Mesh (Hot Dip Galv)
Site Safety

KAPI MANA SCHOOL
Wellington
Anchor Security Panels & Gates
Perimeter Security

2010
LLOYD ELSMORE PARK (ATHLETICS)
Auckland
Anchor Security Panels
Perimeter Security

MANUKAU RAIL STATION
Manukau
Anchor Panels
Perimeter Security

ONTRACK
Wellington
Anchor Panels
Perimeter Security

2009
INVERCARGILL CITY COUNCIL
Invercargill
Anchor Chainlink, Barbed Wire
& Gates
Perimeter Security

HAURAKI DISTRICT COUNCIL
Auckland
Anchor Panel Fence
Perimeter Security

SH1 BYPASS HIGHWAY
Taupo
WWR Mesh
Reinforcing

2008
WAIKATO STADIUM ($NZD32M)
Hamilton
Anchor Panel Fence
Perimeter Security

NEW WORLD
Dannevirke
Anchor Panel Fence
Perimeter Security

2008
HAURAKI DISTRICT COUNCIL
Auckland
Anchor Panel Fence
Site Safety

2011
KAITAIA HOSPITAL
Northland
Anchor Panel Fence
Perimeter Security

DEVONPORT NAVAL BASE
Auckland
Anchor Chainlink
Perimeter Security



TAUPIRI BYPASS
Waikato
Anchor Panel Fence
Site Safety



2012
WAIKATO HOSPITAL
Hamilton
Anchor ASM Mesh
Carpark Security



GOODMAN SITE
Auckland
Anchor PVC Chainlink
Perimeter Security



WAIROA HIGH SCHOOL
Wairoa, Hawkes Bay
Anchor Panel Fence
Perimeter Security



OPOTIKI DISTRICT COUNCIL
Opotiki, Bay of Plenty
Anchor Panel Fence
Cycle Way



MT MANGANUI APARTMENTS
Mt Manganui, Bay of Plenty
Anchor Cambridge Panel
Perimeter Security



PUKEKURA PARK
New Plymouth
Anchor PVC Chainlink
Cricket Nets

2013
ROSEDALE PARK
North Harbour, Auckland
Anchor PVC Chainlink, Pipe, Gates
Softball Diamond

HOBSONVILLE POINT SCHOOL
Hobsonville, Auckland
Anchor Panel Fence
Perimeter Security

NEW TOWNSHIP
Karaka, Auckland
Anchor Panel Fence
Perimeter Security

TRUSTED QUALITY FOR 45 YEARS

In 2017 Anchor will be celebrating 45 years of serving New Zealand businesses like yours. Over that time we have strived to offer the best quality New Zealand made products manufactured to the highest standards.

Anchor is Trusted Quality.

2015
CHRISTMAS ISLAND
Christmas Island
Anchor Chainlink
Security

2014
PITCAIRN ISLAND WHARF
Pitcairn Island
Anchor WWR Mesh
Construction

HURIKI ANGUS
Northland
Anchor Farm Fence
Farming

TEAM KIWI RACING
Auckland
Anchor Security Gates
Security

2016
WAITAKARURU SCHOOL
Thames
Anchor Cambridge Panels
Hot Dip Galvanised 1800mm
School Perimeter Fence

ANCHOR HAS EVERYTHING: RESIDENTIAL, COMMERCIAL, RURAL, INDUSTRIAL

GATES AND FENCES page 12

GATE AUTOMATION page 26

SECURITY & SAFETY SOLUTIONS page 30

RURAL FENCING page 36

MESH WWR & ASM page 46

No matter what the job, Anchor can help you take it to the next level.

- Anchor Panel Fencing
- Anchor Tubular Fencing
- Anchor Gates
- Anchor Chainlink & Gates
- Anchor Pipe & Fittings

GATES AND FENCES

ANCHOR PANEL FENCING

Made in New Zealand | ISO9001 | PS1 Available

Anchor has a wide selection of Panel Fencing.

All available in Hot Dip Galvanised or Dulux Powder Coated finish.

Anchor has been manufacturing quality products for over 40 years. Everything is treated post production to AS/NZS Standards for Galvanising and/or Powder Coating.

We can custom manufacture panels to suit your requirements.

GUARANTEED FOR 5 YEARS

All post caps, clips & fittings provided. Ground fittings excluded.



ANCHOR POOL PANEL

ANCHOR SECURITY PANEL

ANCHOR PLAYCENTRE PANEL

ANCHOR VISTA PANEL



Security Panel
(7.5mm vert. wire/6.3mm hori. wire)
65mm Sq Post - Plain (inground) 2.965m
65mm Sq Post - Plain (inground) 2.665m
65mm Sq Post on Base Plate 1.900m

Safeguard Panel
(8mm wire)
65mm Sq Post - Plain (inground) 2.665m
65mm Sq Post on Base Plate 1.900m
(*100mm vertical wire spacing)

Contour Panel
(6.3mm wire)
50mm Sq Post - Plain (inground) 2.300m
50mm Sq Post on Base Plate 1.720m

Playcentre Panel
(7.5mm vert. wire/6.3mm hori. wire)
65mm Sq Post - Plain (inground) 2.200m
65mm Sq Post on Base Plate 1.600m

Pool Panel
(6.3mm wire)
(available in 2.400m long and 1.800m long)
50mm Sq Post - Plain (inground) 2.000m
50mm Sq Post on Base Plate 1.385m

Vista Panel
(25mm Sq Tube/6.3mm wire)
50mm Sq Post - Plain (inground) 2.000m
50mm Sq Post on Base Plate 1.385m

Motorway Panel
(7.5mm vert. wire/6.3mm hori. wire)
50mm Sq Post - Plain (inground) 2.000m
50mm Sq Post on Base Plate 1.300m

Utility Panel
(6.3mm wire)
50mm Sq Post - Plain (inground) 1.700m
50mm Sq Post on Base Plate 1.100m

* standard panel length 2.400m
** special sizes available on request



ANCHOR ROUND TUBULAR FENCING

Anchor has a wide selection of Round Tubular Fencing.

All available in Hot Dip Galvanised or Dulux Powder Coated finish.

Anchor has been fencing New Zealand and the Pacific for over 40 years. Everything is treated post production to AS/NZS Standards for Galvanising and/or Powder Coating.

We can custom manufacture panels to suit your requirements.

GUARANTEED FOR 5 YEARS

All post caps, brackets & fittings provided. Ground fittings excluded.



* standard panel length 2.400m
** special sizes available on request

ANCHOR SQUARE TUBULAR FENCING

Anchor has a wide selection of Square Tubular Fencing.

All available in Hot Dip Galvanised or Dulux Powder Coated finish.

Anchor has been fencing New Zealand and the Pacific for over 40 years. Everything is treated post production to AS/NZS Standards for Galvanising and/or Powder Coating.

We can custom manufacture panels to suit your requirements.

GUARANTEED FOR 5 YEARS

All post caps, brackets & fittings provided. Ground fittings excluded.



*special sizes available on request

ANCHOR GATES

Anchor has a wide selection of Gates, in stock or ***custom made***, for industrial, commercial, security, education and residential applications.

All available in Hot Dip Galvanised or Dulux Powder Coated finish.

Anchor has been manufacturing quality products for over 40 years. Everything is treated post production to AS/NZS Standards for Galvanising and/or Powder Coating.

GUARANTEED FOR 5 YEARS

All gate fittings provided. Ground fittings excluded.



ANCHOR WINDSOR GATES
Square Tubular



ANCHOR PANEL GATES
Welded Wire



ANCHOR STANLEY GATES
Square Tubular



ANCHOR CAMBRIDGE/BASTION GATES
Round Tubular



WELDED WIRE GATES

Type	Height
Utility	1.0m
Motorway	1.2m
Pool/Vista	1.25m
Playcentre	1.5m
Safeguard	1.8m
Security	1.8m/2.1m

ROUND TUBULAR GATES

Type	Height
Cambridge	1.25m
Cambridge	1.5m
Cambridge	1.8m
Bastion	1.55m
Bastion	1.85m

SQUARE TUBULAR GATES

Type	Height
Windsor	1.25m
Windsor	1.5m
Windsor	1.8m
Stanley	1.25m
Stanley	1.8m

ANCHOR CHAINLINK FENCING & GATES

Made in New Zealand | ISO9001

Galvanised Chainlink materials conform to New Zealand Standard NZS 3471:1974

Anchor Chainlink is manufactured in New Zealand. It is available either in Galvanised or PVC Coated. We stock the largest range of Galvanised Chainlink in New Zealand. Available for pick up today - or ***can be custom made to suit your requirements.***

Anchor has been manufacturing quality products for over 40 years.



PUKEKURA PARK CRICKET NETS

ST PAUL'S COLLEGIATE

NORTH HARBOUR SOFTBALL DIAMOND

ST PETER'S COLLEGE

CHAINLINK SIZING
diamond x wire x height x length

Standard Chainlink Wire options
Galvanised: 2.5mm
PVC Coated (green, black, orange):
3.0mm (2.2mm Galv Core orange only)
2.8mm (2mm Galv Core)
3.4mm (2.5mm Galv Core)



Barbed Top Chainlink wire options
Galvanised: 2.5mm
PVC Coated (green, black, orange):
3.0mm (2.2mm Galv Core orange only)
2.8mm (2mm Galv Core)
3.4mm (2.5mm Galv Core)



GALVANISED STOCK SIZES

GALVANISED	height
50mm x 2.5mm (15m & 30m lengths)	0.600m
	0.750m
	0.900m
	1.200m
	1.500m
	1.800m
	2.000m
	2.100m
	2.400m
	2.700m
	3.000m
75mm x 2.5mm (15m & 30m lengths)	0.900m
	1.200m
	1.500m
	1.800m

COMMON PVC SIZES

PVC COATED Black , Green, Orange	height
Black, Green 50mm x **2.8mm** (2mm Galv Core)	0.600m
	0.750m
	0.900m
Orange 50mm x **3.0mm** (2.2mm Galv Core)	1.200m
	1.500m
(15m & 30m lengths)	1.800m
	1.800m
Black, Green 50mm x **3.4mm** (2.5mm Galv Core) (15m & 30m lengths)	2.100m
	2.200m
	2.400m

* special sizes of 25mm, 37.5mm & 75mm diamond available on request

** special heights and lengths available on request

ANCHOR GALVANISED PIPE & FITTINGS

All medium wall pipe manufactured to Australian Standard AS1074:1989 from Australian & New Zealand Tube Mills only.

Anchor carries a wide range of the Australian Downee fence fittings, and the allan key clamp style fittings.

Anchor can custom cut, drill and bend pipe. We offer a complete fencing range and provide a fully finished manufactured solution to suit your requirements.

Available in Galvanised or Dulux Powder Coated finish.

Galvanised pipe is general purpose pipe Grade 250. All medium wall. Super light, light and heavy available upon request.

Rail Clamps

Fixed Corners



Fixed Tees



Fixed Way Tees



Fixed Crosses

2-Way Elbow Clamp

3-Way 90º Elbow Clamp

Base Flange Clamp

Cross Clamp

Long Tee Clamp



Beautifully simple, Anchor Automation makes gate automation easy.

- Residential Driveway Gates
- Commercial Driveway Gates
- Swinging Gates
- Sliding Gates
- Cantilever Gates



GATE AUTOMATION



ANCHOR GATE AUTOMATION

Made in New Zealand & Italy

In conjunction with Downee, Anchor can provide you with a complete automation solution. We supply ***custom designed and built gates*** combined with a wide range of automation hardware. We also have a range of access entry technology, including colour touch panels, cameras and wireless systems.

We have sourced the finest automation components in the world and married them with our quality Anchor products to ensure you get the best solution possible.

No matter how large the gate, whether it is swinging, sliding or cantilever, we can meet any application's requirements.



The Guardian End Rail Cantilever system is the best choice for gates over 12m. The fully enclosed roller assemblies are a safer choice than exposed roller systems.

KIT PARTS

1 Base Roller Assembly
2 Tail Roller Assembly
3 Tail Mount Plate
4 Tail Adjuster Plate
5 Adjustable Guide Roller



Comunello Cantilever system
for gates up to 12m / 1.5 tonnes

We have a solution that meets your every safety need - and more.

- Anchor Secure Zone Panels
- Anchor Secure Zone Gates
- Anchor Secure Zone Posts
- Anchor ASM 358



SECURITY & SAFETY SOLUTIONS

ANCHOR SECURE ZONE

Anchor Secure Zone Solutions provide you with peace of mind: ensuring your people are kept safe and your plant remains operational by eliminating minor and major accidents.

Regardless of your application (i.e. a quarry, timber mill or logistics facility.) ***we can customise a solution to meet your exacting Occupational Health and Safety needs.*** We have the in-house expertise to engineer the right system for you - *potentially saving you thousands.*

Anchor has been manufacturing quality products for over 40 years. Everything is treated post production to AS/NZS Standards with Dulux Powder Coating.

All post caps, fittings & standard gate hardware provided. Ground fittings excluded.



*special panel and gate sizes available on request

ANCHOR ASM 358

Anchor ASM 358 Anti-Climb Mesh provides maximum security. It is extremely difficult to climb or penetrate using normal hand tools and yet has a minimal visual impact on the surrounds.

Safety applications can benefit from the extremely small apertures.

Regardless of your application (i.e. a quarry, timber mill or logistics facility.) ***we can customise a solution to meet your exacting Occupational Health and Safety needs.*** We have the in-house expertise to engineer the right system for you - *potentially saving you thousands.*

Anchor ASM 358 is supplied using the superior Bezinal 2000 galvanised wire.

Powder coated product is treated post production to AS/NZS Standards with Dulux Powder Coating.

358 MESH SIZING



358 MESH PROPERTIES

Sheet Size	1.200m width x 2.400m height
Mesh Design	4.00mm wire, resistance welded at each intersection. Line wires positioned at 75mm centres. Cross wires positioned at 13mm centres.
Welding	Resistance welded in compliance with the requirements of AS2423-2002
Mesh Aperture	71mm x 9mm
Tolerances	Sheet Width +/- 2mm Sheet Length +/- 2mm Mesh Aperture +/- 0.5mm Wire Diameter +/- 0.08mm
Wire	Bezinal 2000 - 4.00mm zinc alloy coated wire. 95% zinc 5% aluminium wire. Tolerance +/- 0.08mm
Wire Coating Mass	Zinc Aluminium coating to AS/NZS4534 Class W10D Minimum Coating Mass - 260 g/m2 Average Coating Mass - 300 g/m2
Tensile Strength	Ultimate Tensile Strength 500-625 MPA Average Tensile Strength 560 MPA
Weld Shear Strength	Exceeds requirements specified in AS2423-2002

*special sizes available on request

When you need to get down and dirty on the farm, think Anchor!

- Anchor Rural Fencing & Staples
- Anchor Farm Fence
- Anchor Tree Mesh
- Anchor Barbed Wire

RURAL FENCING

ANCHOR RURAL FENCING & STAPLES

Made in New Zealand | ISO9001

Anchor has a wide selection of Rural Fencing & Staples.

Anchor has been manufacturing quality fencing products for over 40 years. All our products are manufactured to AS/NZS Standards.

Staples available in Barbed or Galvanised Sliced Cut.

ANCHOR FENCE STAPLES

ANCHOR FENCE STAPLES

ANCHOR GALVANISED WIRE COILS

ANCHOR FARM FENCING

ANCHOR GALVANISED WIRE COILS

CODE	description	length (m)
GCW12G25	25kg 2.5mm SFT GALV WIRE	approx 643
GCW12GHT	25kg 2.50mm HT VANADIUM WIRE	approx 643
GCW10G25	25kg 3.15mm SFT GALV WIRE	approx 408
GCW8G25	25kg 4.00mm SFT GALV WIRE	approx 253

ANCHOR FENCE STAPLES

CODE	length (mm)	wire
GSC 25KG WOODEN BOX		
STSC30/1025	30	3.15mm
STSC40/825	40	4.0mm
STSC45/825	45	4.0mm
STSC50/825	50	4.0mm
BARBED 25KG WOODEN BOX		
STB30/1025	30	3.15mm
STB40/825	40	4.0mm
STB45/825	45	4.0mm
STB50/825	50	4.0mm

ANCHOR FARM FENCING

Made in New Zealand | ISO9001

Anchor has a wide selection of Farm Fencing.

Anchor has been manufacturing quality fencing products for over 40 years. All our products are manufactured to AS/NZS Standards.

Our product has been used across thousands of kilometers on New Zealand farms and throughout the Pacific.

Combined with Anchor Barbed Wire and Staples, we can supply you with a complete rural fencing package.

ANCHOR FARM FENCE

CODE	description	line wires (horizontal)	height (mm)	stay width (mm) (vertical)	length (m)
HIGH TENSILE 2.50MM WIRE (Stays 2.50mm Soft Wire)					
FFB8/36/6H	HT Boundary	8	900	150	50
FFB8/36/6	HT Boundary	8	900	150	100
FFB8/36/12	HT Boundary	8	900	300	100
MEDIUM TENSILE 2.50MM WIRE (Stays 2.50mm Soft Wire)					
FFP8/32/6H	Pig	8	800	150	50
FFP8/32/6	Pig	8	800	150	100
FFS7/36/12H	Sheep	7	900	300	50
FFS7/36/12	Sheep	7	900	300	100
FFD8/32/6	Docking	8	800	150	50
FFD11/1400/150H	Utility	11	1400	150	50
FFD11/1400/150	Utility	11	1400	150	100
SOFT TENSILE 2.00MM WIRE (Stays 2.00mm Soft Wire)					
FFP8/32/6HEXP	Pig	8	800	150	50

ANCHOR TREE MESH & BARBED WIRE

Made in New Zealand | ISO9001

Anchor has a quality range of Tree Mesh & Barbed Wire.

Our welded Tree Mesh product provides the strength you need for many rural applications.

Anchor Barbed Wire is available in Iowa Pattern or High Tensile Reverse Twist Coils.

Anchor has been manufacturing quality fencing products for over 40 years. All our products are manufactured to AS/NZS Standards.

ANCHOR BARBED WIRE

CODE	description	length (m)
BARBED WIRE COILS - IOWA PATTERN 2.5mm LINE WIRE / 2.00mm BARBS		
BARB75	25kg STD BARB 75mm spacings	approx 225
BARB150	25kg STD BARB 150mm spacings	approx 260
BARBED WIRE COILS - HT REVERSE TWIST 1.57mm HT LINE WIRE / 1.57mm BARBS		
BARBHT100	HT/RT BARB 100mm spacings 24kg	approx 500
BARBHT150	HT/RT BARB 150mm spacings 22kg	approx 500

ANCHOR TREE MESH

CODE	description	length (m)
TREEMESH840	840mm height | 12 Linewires	15 Roll
TREEMESH1220	1220mm height | 17 Linewires	15 Roll

ANCHOR TREE MESH

4mm Heavy Galv Wire



Peckish?

Feeling a bit peckish? Like to experience some of the best home cooking anywhere? After repeated requests by clients, who have experienced first-hand our mum's superb culinary skills, we are releasing her recipes and cooking secrets to the world. They are now live on our website with easy-to-follow instructions so you too can experience some of the yummiest food around. See the Anchor Galley section of our website for more details.

anchor galley

anchorwire.co.nz/galley

Whether you're building a stadium, an oil refinery or a rack, Anchor can mesh it.

- Anchor Welded Wire Reinforcing Mesh
- Anchor Racking Mesh
- Anchor Steel Mesh
- Anchor Nursery Mesh



MESH WWR & ASM

ANCHOR WWR MESH

Made in New Zealand | ISO9001

Anchor produces New Zealand's widest ranges of Welded Wire Reinforcing ("WWR") under IS0 9001:2008.

We are a founding member of the WWR Marketing Development Alliance.

We have been exporting Anchor WWR throughout the Pacific Basin and the United States and its Pacific Territories since the 1970's.

Nationally, Anchor has supplied major sites such as Marsden Point Oil Refinery, the Sky Tower and Wellington Regional Stadium (the Cake Tin).

We can custom manufacture to suit your requirements.





ANCHOR WWR MESH

CODE	wire size	spacing (mm)	length x width	finish
			Nett cover 7.525m², Gross Area 9.03m²	
WWR661/295	7.5mm	150 x 150	4.560 x 1.980	Black
WWR663/212	6.3mm	150 x 150	4.560 x 1.980	Black
WWR665/147	5.3mm	150 x 150	4.560 x 1.980	Black
WWR668/84	4.0mm	150 x 150	4.560 x 1.980	Black
WWR665/147GALV	5.3mm	150 x 150	4.560 x 1.980	Hot Dip Galv
WWR668/84GALV	4.0mm	150 x 150	4.560 x 1.980	Hot Dip Galv
			Nett cover 12.76m², Gross Area 15m²	
WWR663/21215	6.3mm	150 x 150	6.150 x 2.440	Black
WWR665/14715	5.3mm	150 x 150	6.150 x 2.440	Black
WWR668/8415	4.0mm	150 x 150	6.150 x 2.440	Black
			Nett Cover 10.08², Gross Area 10.78m²	
WWRDE5/147	7.5mm RIB	300 x 300	4.900 x 2.200	Black
WWRDE8/84	5.6mm RIB	300 x 300	4.900 x 2.200	Black
			Nett cover 13.86m², Gross Area 16.56m²	
WWRBARMESH5/147	7.5mm RIB	300 x 300	6.900 x 2.400	Black
			Gross Area 9.579m²	
WWR333/415	6.3mm	75 x 75	4.650 x 2.060	Black
WWR335/295	5.3mm	75 x 75	4.650 x 2.060	Black
WWR338/167	4.0mm	75 x 75	4.650 x 2.060	Black
WWR335/295GALV	5.3mm	75 x 75	4.650 x 2.060	Hot Dip Galv
WWR338/167GALV	4.0mm	75 x 75	4.650 x 2.060	Hot Dip Galv

*special sizes available on request

ANCHOR DUCTILE MESH

CODE	wire size	spacing (mm)	length x width	finish
			Nett cover 8.97m², Gross Area 10.38m²	
WWR500SE62	6.1mm	200 x 200	5.090 x 2.040	Black
			Nett cover 10.432m², Gross Area 12.543m²	
WWR500SE72	7.0mm	200 x 200	5.650 x 2.220	Black
WWR500SE82	8.0mm	200 x 200	5.650 x 2.220	Black

ANCHOR ASM MESH

Made in New Zealand | ISO9001

We produce New Zealand's widest range of Steel Mesh ("ASM") under IS0 9001:2008.

All our wire is sourced to AS/NZS Standards.

Our sheets are square, accurate and welded to standard. Offered in ungalvanised Black Steel or Hot Dip Galvanised.

Available in stock today!

We can custom manufacture sheets to suit your requirements.





ANCHOR ASM MESH

CODE	wire size	spacing (mm)	length x width	finish
ASM228LB	4.0mm	50 x 50	2.400 x 1.200	Black
ASM228LHD	4.0mm	50 x 50	2.400 x 1.200	Hot Dip Galv
ASM225LB	5.3mm	50 x 50	2.400 x 1.200	Black
ASM225LHD	5.3mm	50 x 50	2.400 x 1.200	Hot Dip Galv
ASM338LB	4.0mm	75 x 75	2.400 x 1.200	Black
ASM338LHD	4.0mm	75 x 75	2.400 x 1.200	Hot Dip Galv
ASM335LB	5.3mm	75 x 75	2.400 x 1.200	Black
ASM335LHD	5.3mm	75 x 75	2.400 x 1.200	Hot Dip Galv
ASM448LB	4.0mm	100 x 100	2.400 x 1.200	Black
ASM448LHD	4.0mm	100 x 100	2.400 x 1.200	Hot Dip Galv
ASM445LB	5.3mm	100 x 100	2.400 x 1.200	Black
ASM445LHD	5.3mm	100 x 100	2.400 x 1.200	Hot Dip Galv

*special sizes available on request

Anchor Wire has been serving you, your family, and community since 1972...

Contact us today for more information:

Tel: +64-9-2666 666
Fax: +64-9-2662 992

Email: info@anchorwire.co.nz
Web: www.anchorwire.co.nz

PO Box 97-855
Manukau 2241
Auckland, New Zealand

131 Kerrs Road
Auckland, New Zealand



anchor wire
SINCE 1972